
### STATE OF ILLINOIS

### **ILLINOIS COMMERCE COMMISSION**



Petition for permission to make a major change in crossing protection, or to install new protection under 92 Illinois Administrative Code 1535.400 (d).

X-12429 T06-0029 Illinois Commerce Commission
RAIL SAFETY SECTION

Date: May 8, 2006

To the ILLINOIS COMMERCE COMMISSION:

479325K

\_\_\_\_shows

(1) That it is a railroad company operating a line of railroad in the State of Illinois.

The petitioner Norfolk Southern Railway Company

- (2) That petitioner proposes and hereby makes an application for authority to make a major change in crossing protection or to install new protection under 92 Illinois Administrative Code 1535.400(d) adopted by this Commission.
- (3) That the location of the crossing, nature of protection now established and proposed protection to be established, and other pertinent facts in connection therewith, are set forth in the statement attached to and forming part of this petition.
- (4) That petitioner's reasons and purpose, with reference to its said proposal are to:

Installation of Flashing Light Crossing Signals with Gates and 12" lenses. Front and back

assemblies on both signal masts and side lights on signal "B" at: Reynolds Street in Springfield, Sangamon County, Illinois, MP. DH-413.93, DOT: 479-325K

File No. 061-04.0384

Project No. 04.0569

(5) That the facts set forth in this petition and in the statement and plans or plats attached thereto, are, all of them, true and correct to the best of petitioner's knowledge and belief.

WHEREFORE, the petitioner prays that the Commission will, if deemed desirable by the Commission, set the aforesaid matter for a hearing, and that the Commission enter an order or adopt at resolution consenting to and granting authority for the making of the said proposed changes in or additions to the crossing protection.

Norfolk Southern Railway Company

Bv

R. H. Ray, Administrator Highway Grade Crossings

Thomas W. Ambler (Attorney for Petitioner)

Norfolk Southern Corporation Three Commercial Place Norfolk, VA 23510-2191 (Attorney's Address)

DOCKETED

Statement, attached to and part of an application for permission to make a major change in crossing protection or to install new protection, under 92 Illinois Administrative Code 1535.400(d).
---

1. Name of Railroad Company:	Norfolk Southern Railway Com	pany
2. Crossing Number:	479 325K	
3. Village or City:	Springfield	
4. Name of Street or Highway:		
5. Public Agency Maintaining Highway: _	City	
6. Protection now established:		
Railroad Crossing Flashing Light S	Signals on single track.	
	,	
7. Protection desired:		
Automatic Flashing Light Warning	ng Devices with Gates and Bell. Train	n Detection Equipment
controlled by Constant Warning	Time Circuitry on Single Track.	
8. Number of main tracks O	ne Other tracks	None
9. Number of passenger movements:		
6 a.m. to 6 p.mN	one 6 p.m. to 6 a.m	None
10. Number of freight train movements:		
6 a.m. to 6 p.m. 9	6 p.m. to 6 a.m.	13
11. Approximate number of switch movem	ents:	
6 a.m. to 6 p.m4	6 p.m. to 6 a.m	2
12. Maximum speed of trains at crossing or		
North/East 40 M.P.H. Single	e Main Track	
	e Main Track	
13. Passenger platforms served by tracks w		


	None
ure	and approximate amount of street or highway traffic over crossing:
	700 A.A.D.T.
	tion to the information listed hereinbefore in Form 3, attach a track plan or plat of the propeg. This plan should show:
(a)	Width and surface of highway.
(b)	Highway intersections (including private driveways to be so indicated) and location of established highway signs or signals within 100 feet of crossing.
(c)	Location of tracks, switches and other railroad facilities such as block signals, etc. within limits of track circuits, present and/or proposed.
(d)	Where automatic protection is proposed, show proposed location of signals (side lights, cantilevers, etc., if any).
(e)	Show the length of each operating track section within the control limits of the crossing protection and its function.
	ADDITIONAL INFORMATION
]	Drawing attached for question no. 16

### (File Original and Two Duplicates)

### **VERIFICATION**


I,	R. H. Ray	, first being o	luly sworn upon oath depose and say that I am
Adı	ninistrator – Highway Grade Crossings	, of	Norfolk Southern Railway Company , a
Virgin contents t in	corporation; that I have read the a hereof; that said contents are true in subs formation and belief, and as to those, I be	tance and in	regoing petition by me subscribed and know the fact, except as to those matters stated upon be true.
			Administrator - Highway Grade Crossings
			Administrator - Ingriway Grade Crossings
Subscribe	d and sworn to before me this8 t	h.	
day of	May , 20 <u>06</u> .		
+	(Witness or Notary)  Notary Public - Georgia		

My Commission Expires: \_\_\_\_\_





Illinois Commonss Commission Run cameny observory





### **Detailed Estimate for Grade Crossing Warning Devices**

City/State: SPRINGFIELD, IL

Road: REYNOLDS ST.

MilePost: DH-413.93

DOT/AAR: 479325K

State Proj. No.:

County: SANGAMON

S&E Proj. No.: 04.0569

AFE: F03175

Man Days: 120

File Number: 061-04.0384

***Pur	chases - Others***	
Meals and Lodging:	\$11,290.75	
Rental of Equipment:	\$24,684.00	
(2 Trucks, 1 Backhoe w/ Trailer and 1 Pipe-Pusher for 30 Days)		
Construction Supervision Vehicle:	\$1,974.72	
Purchases - Other Total:		\$37,949.47
***Mater	ial And Additives***	
Material Cost:	\$75,515.00	
Sales and Use Tax:	\$3,776.00	
Material Handling Freight:	\$3,775.73	
Material Total:		\$83,066.73
***Labo	or And Additives***	
Labor Cost:	\$29,040.00	
(4 man crew at \$968.00 a day for: 30	days)	
Payroll Tax & Overheads:	\$28,647.96	
Preliminary Engineering:	\$9,200.80	
Construction Supervision:	\$8,197.99	
Labor Total:		\$75,086.75
	Project Cost:	\$196,102.95
	Scrap / Salvage Credit:	\$0.00
	Project Total:	\$196,102.95

Estimated on: 05-May-06

Estimated by: nhjfh

Estimate valid for 1 year from date of estimate

in the state of period services.

### 9

## Norfolk Southern Railway

# Highway Crossing Signalization Program - Material List

Do not substitute items without permission from S & E Engineering

City:	SPRINGFIELD
Road:	REYNOLDS ST.
Mile Post:	DH-413.93
Drawing Number:	SFDH41393
State ProjectNumber:	
County:	SANGAMON
A A R Number:	479325K
Project Number:	04.0569
File Number:	061-04.0384
A F E Number:	F03175
Store Number:	THE RESERVE THE PROPERTY OF TH
Supervisor:	D.J. HOLLINGSEAD
Tax Code:	1200
Vendor to supply the folk	Vendor to supply the following copies after pricing:
<ol> <li>Set - Material Management with original Invo</li> <li>Sets - with plans shipped in car with material</li> <li>Set - S&amp;EGen. Supt. Construction w/copy of</li> </ol>	Set - Material Management with original Invoice Sets - with plans shipped in car with material Set - S&EGen. Supt. Construction w/copy of invoice

	Vendor: SW Signal Engineering Company	led Quantity Date Returned Special Quan. (Credit) Instructions																		
393	Vendor: SW	antity Instal Date Quan.																		
FDH41		Bg	.=	-																
Drawing No.: SFDH41393	Date Shipped:	Quantity																		
AFE No.: F03175 Drawin	Date Required: Date S		RDER 3 PER PROJECT. 60 AN.	Y CLEAR VIEW SAFETRAN	SINGLE CELL 2.25 VOLTS	WITH CONNECTORS	G- 191036, WALRUS TUSK	2GS, SPRING LOADED GLASS/ALUMINUM GATES,	SERRMI P/N 40524. FEMALE	TE 113-12-3933 SOLID	ILID COPPER CABLE TO	NWG SOLID EACH	OKONITE FMPF-L 094-078 3V PRODUCT CODE 206-11-	) BELL CONNECTOR AT 23298-4	FILLINOIS, 4" x 10' PVC	RMON A1000-2W	1ARMON A1000-1W	TE STAN S- MECH ONLY, ORT ARMS	AY FLASHING LIGHT ASSY. 18 OZ. BLACK YLON. ====TO COVER 2 LAMPS=====	S AND CLEANING X'ING
1L S&E Proj. No.: 04.0569 A	P.O.Number:	Item Description	AAR/DOT NUMBER PLATE/DECAL, ORDER 3 PER PROJECT. 60 DAY LEAD TIME. SUPPLIED BY S'TRAN.	\$131.20 ARRESTOR, LIGHTNING HEAVY DUTY CLEAR VIEW SAFETRAN 022585-1X	BATTERY, GNB 265AH MODEL 50A11 SINGLE CELL 2.25 VOLTS	BLOCK, TERMINAL MULTIUNIT OF 6 WITH CONNECTORS HARMON 0250094-000	BRACKET HIGH WIND, (RIGID 3'), WIG-191036, WALRUS TUSK TYPE	\$2,395.80 BRACKET, GATE SAVER, NEG385102GS, SPRING LOADED SWING AWAY ADAPTER FOR FIBERGLASS/ALUMINUM GATES, USE WITH GATE 28' AND LESS	CABLE, 10' GENERATOR HOOK UP, SERRMI P/N 40524. FEMALE CONNECTOR	\$364.00 CABLE, U-2-6 TWISTED, S-23 OKONITE 113-12-3933 SOLID TINNED CONDUCTOR	\$1,067.50 CABLE, U.G. 5 COND. NO. 6 AWG SOLID COPPER CABLE TO MEET NS CORP. SPEC. FOR SIGNAL	CABLE, UG 12 CONDUCTOR NO 14 AWG SOLID EACH CONDUCTOR WITH 5/64 IN INSULATION 10 MIL	\$1,554.00 CABLE, UG AC ENTRANCE 3C#6-7X OKONITE FMPF-L 094-078 TR W/G 1 X 8 7X W010 BRZ TAPE 600V PRODUCT CODE 206-11-6070	\$306.00 CONDUIT, 4"x10" PVC, SCHEDULE 80 BELL CONNECTOR AT ONE END, 1/2 PT. GLUE IN KIT 670-123298-4	\$60.00 CONDUIT, PRE-EMPTION - STATE OF ILLINOIS, 4" x 10' PVC	\$100.76 CONNECTOR, WELDED FAR RAIL HARMON A1000-2W	\$83.24 CONNECTOR, WELDED NEAR RAIL HARMON A1000-1W	\$1,708.06 COUNTERWEIGHT PKAGE, 25-31'GATE S'TAN S- MECH ONLY, STAINLESS TO INCLUDE HUB, SUPPORT ARMS	\$240.12 COVER, FOR 1 WAY FLASHING LIGHT ASSY. 18 OZ. BI VINYL COATED NYLON. ====TO COVER 2 LAMPS====	\$375.69 DISPOSAL, CONSTRUCTION DEBRIS AND CLEANING X'ING EQUIPMENT CONTAINER
		Total Price	\$15.12	\$131.20	\$2,100.41	\$7.14	\$143.42	\$2,395.80	\$97.00	\$364.00	\$1,067.50	\$5,100.00	\$1,554.00	\$306.00	\$60.00	\$100.76	\$83.24	\$1,708.06	\$240.12	\$375.69
		Price per Item	\$5.04	\$32.80	\$161.57	\$7.14	\$71.71	\$1,197.90	\$97.00	\$1.04	\$3.05	\$2.55	\$2.22	\$2.55	\$2.00	\$50.38	\$41.62	\$854.03	\$40.02	\$375.69
		5	EA	EA	E	EA	EA	ĕ.	EA	<u>Ļ</u>	ഥ	4	ᇤ	E	EA	EA	EA	EA	Æ	EA
Location: SPRINGFIELD	Jo.:	Class-Item-CD	670-360693-4	670-119241-4	105-871901-4	670-052960-4	670-980689-4	670-561375-4	670-356949-4	465-292862-4	465-292929-4	465-939422-4	465-791835-4	165-544477-4	670-100000-4	670-090450-4	670-486646-4	670-794453-4	670-760012-4	670-986650-4
Locatic	Store No.:	Q.	m	4	13	-	cı .	N	-	350	320	2000	700	120	တ္တ	2	23	2	မှ	<del>-</del>

Locat	Location: SPRINGFIELD	Q			IL S&E Proj. No.: 04.0569	AFE No.: F03175 Drawin	Drawing No.: SFDH41393	DH41390	3			
Store No.:	No.:				P.O.Number:	Date Required: Date Si	Date Shipped:		Vendor:	SW Sign	ıal Engineeri	Vendor: SW Signal Engineering Company
È	Class-Item-CD	5	Price per Item	Total Price	Item Description		Quantity Shipped	å	Quantity Installed the Date Date Date Dann Quan. Qu	alled Date Quan.	Quantity Returned (Credit)	Special Instructions
-	670-000004-4	EA	\$700.00	\$700.00	\$700.00 FCC LICENSE FOR MONITOR/RADIO	0						1
8	670-000003-4	EA	\$255.85	\$767.55	FILL/STONE #57, QUANITY IS BASED ON TRUCK LOAD PLUS DELIVERY COST	ED ON TRUCK LOAD PLUS						
2	670-015231-4	EA	\$423.50	\$847.00	\$847.00 FOUNDATION, DIXIE, S-2 GATE 5'6" ASSEMBLED	ASSEMBLED						
2	670-263738-4	EA	\$331.87	\$663.74	\$663.74 GATE, ARM FIBERGLASS-ALUMINUM 25-31 FT. INCLUDES GATE GUARD FOR GATE LIGHT CABLE, 076600-320017, NEG P/N 8002- 4NFS/CG	JM 25-31 FT. INCLUDES GATE 376600-320017, NEG P/N 8002-						
-	670-923649-4	Ä	\$43.57	\$43.57	INDUCTOR, SIMULATED TRACK SAFETRAN 8V617-0800	AFETRAN 8V617-0800						
-	670-477991-4	ËA	\$317.90	\$317.90 KIT, RDS	GROUNDING 3,200*#4WIRE,	ASSY FOR AL I/S INCLUDES 8 GRD 12 4 WIRE ONE-SHOTS. ERICO SBK206						
-	670-123298-4	EA	\$256.93	\$256.93	\$256.93 KIT, HARDWARE SUPPLIES REQUIRED X'ING P'CKAGES. WEB CONNECTORS FOR SHUNT(8EA) TAPE, AMPS,P'GUM PAINT,SLEEVES,TAGS,GLUE, 100 EA WHITE TAGS, INE CAN BLUE MARKING PAINT ETC	RED X'ING P'CKAGES. WEB 'APE, AMPS,P'GUM EA WHITE TAGS, )NE CAN						
2	670-764166-4	EA	\$907.65	\$1,815.30	\$1,815.30 LAMP ASSY, 5" MAST MTG. 2W IND. 20" BKGRD, FLX-12 W/BULB STRAN #042003-487XNS	). 20" BKGRD, FLX-12 W/BULB						
-	670-797748-4	EA	\$955.86	\$955.86	\$955.86 LAMP ASSY, 5" MAST MTG. 2W IND. SPECIAL TO SPAN GATE IN UP POS. #042003-000631 USE W/MAST 0&90 R 670-011651-4	). SPECIAL TO SPAN GATE IN AST 0&90 R 670-011651-4						
ဖ	165-643547-4	EA	\$4.30	\$25.80	LAMP, 18 WATT 10 VOLT S-11 SC BAY 18S11/1SC CLEAR RWY SIGNAL UJ-71463 GE	3AY 18S11/1SC CLEAR RWY						
10	670-440826-4	ËA	\$1.01	\$10.10	\$10.10 LINK, SAFETRAN 024620-1X INSL TESTING COMP 1 IN CENTER SIGNAL CIRCUITS CR 02-286662	TESTING COMP 1 IN CENTER						
4	255-590880-4	E	\$16.12	\$64.48	LOCK, AMERICAN PRIVATE KEYWAY	LOCK MODEL H-10KA KEYED ALIKE TO 7 D456 AND STAMPED "NS SIG"						
<b>y-</b> -	610-150566-4	EA	\$1,287.36	\$1,287.36	\$1,287.36 MAST, 5" ALUMINUM (0&90) RIGHT FOR LIGHT UNITS RIGHT OR LEFT W/DBL. JCT. BOX BASE SAFETRAN #070519-47X	JM (0&90) RIGHT FOR LIGHT UNITS RIGHT OR BOX BASE SAFETRAN #070519-47X						
۳-	670-637778-4	EA	\$1,031.41	\$1,031.41	\$1,031.41 MAST, 5" ALUMINUM 13'10" WITH DOUBLE JCT. BOX BASE. STRAN P# 070519-11AX.	OOUBLE JCT. BOX BASE.						
0	670-521147-4	EA	\$2,932.81	\$5,865.62	MECHANISM, GATE MODEL S40, WITH CONTACT HEATER, COMPLETE W/RELAY S'TRAN # 074000-W00090	VITH CONTACT HEATER, 4000-W00090						
2	670-00002-4	EA	\$527.05	\$1,054.10	\$1,054.10 MISC. CONCRETE WORK							
2	670-00001-4	EA	\$316.23		\$632.46 MISC. MATERIAL							
APPF	APPROVED BY STATE	ш		APPROVED	APPROVED BY RAILROAD	CAR NUMBER			SEAL NUMBER	UMBER		

	Vendor: SW Signal Engineering Company	led Quantity Date Returned Special Quan, (Credit) Instructions																	ABER
m	Vendor: S\	Quantity Installed te Date Date Date Date Date Quan. Quan.																	SEAL NUMBER
DH41393		Qua Date Quan.																	
Drawing No.: SFDH41393	Date Shipped:	Quantity Shipped																	
AFE No.: F03175 Drawin	Date Required: Date SI		MOUNTING, SERRMI A1250-5,	RAN PART NO. 030399-29X SCREW TYPE FOR AND BTY. BOX	AST P/N P6001205-NS, ERMINAL BLOCK	REF K1 110-8 OR SAFETRAN	506 OR HARMON @7062-506	; ERICO P/N EPD120/240TDFL	POSABLE FOR CROSSING SIGNAL PACKAGES	ATECH PN 16031-00	ING, FARADAY SHELTER FOR ONE RELAY, 5331	NEV LINE, 900 OHMS, 008 AMPERES GRS A62- N @400003	RII)POTTER & BRUMFIELD	RII)POTTER & BRUMFIELD 12V	FOR CABLE ENTRANCE INTO THE SHELTER	ED INSPECTOR SYSTEM KIT, w/ 1-iLOD,1- MTSS, 1-GFT, RDER INTERFACE MODULE, 1-ECHELON	FOR MOUNTING MINITRACK SIDE SENSOR IN MECHANISM, (S-20 & S-40) INCLUDES ALL WARE, SAFETRAN P/N 074035-X8	ADAY, W.CABLE CHUTES IN. CONN. W/ADJUSTABLE 16-78A	CAR NUMBER
IL S&E Proj. No.: 04.0569	P.O.Number:	Item Description	\$253.08 PACKAGE, HARDWARE SIGN 5 IN. MOUNTING, SERRMI A1250-5, HARMON @200965-000, OR	PADLOCK, SAFETRAN PART NO. O CIR CONTROLLER AND BTY. BOX	\$135.90 PEDESTAL ASSEMBLY, ARMORCAST P/N P6001205-NS YELLOW 10"X11"X29" POLYETHYLENE INCL 45" WITH TERMINAL BLOCK	PINNACLE, W-C SECT 1-11, 4"& 5" REF K1 110-8 OR SAFETRAN NO. @035045-503X	PLUGBOARD, TYPE B-1 GRS A62-506 OR HARMON @7062-506 OR	\$308.00 PROTECTOR, SURGE 120/240VAC, ERICO P/N EPD120/240TDFL	\$88.24 REEL, CABLE DISPOSABLE FOR C	\$41.80 RELAY INTERFACE PROBE, ULTRATECH PN 16031-00	\$150.00 RELAY BACK, SWING, FARADAY S SSFETRAN P/N T15331	RELAY, TYPE B1, 308 OR SAFETRA	RELAY,(AC INTERRUPT FOR SEARII)POTTER & BRUMFIELD 120V AC KUMP-14A18-120 SAFETRAN P/N T18354	RELAY,(AC INTERRUPT FOR SEARII)POTTER & BRUMFIELD 12V DC KUMP-14D18-12 SAFETRAN P/N T18353	\$12.50 SAND, 25LB BAG FOR CABLE ENT	SEARII AUTOMAT eBELL, 2-GTS, 2-1 1-VHFC, 2- RECOI CONNECTOR	SEARII, BRACKET SAFETRAN GATE MOUNTING HARD	SHELTER BARE 6X6, ALUMN, FARADAY, W/CABLE CHUTES BEHIND TERMINAL BOARD, W/GEN. CONN. W/ADJUSTABLE PIERS, ,SAFTETRAN P/N 058400-66-78A	APPROVED BY RAILROAD
		Total Price	\$253.08	\$10.38	\$135.90	\$8.45	\$135.36	\$308.00	\$88.24	\$41.80	\$150.00	\$941.01	\$43.96	\$41.24	\$12.50	\$5,329.57	\$43.26	\$7,006.00	APPROVED
		Price per Item	\$63.27	\$10.38	\$135.90	\$8.45	\$45.12	\$308.00	\$22.06	\$41.80	\$150.00	\$313.67	\$21.98	\$20.62	\$6.25	\$5,329.57	\$21.63	\$7,006.00	
Q		5	Ā	EA	ËA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	ш
Location: SPRINGFIELD	Vo.:	Class-Item-CD	670-001347-4	255-646807-4	610-719870-4	670-514605-4	670-555609-4	165-902002-4	465-002899-4	670-742096-4	670-456936-4	670-707995-4	670-215166-4	670-218934-4	435-805560-4	670-391911-4	670-303385-4	670-281280-4	APPROVED BY STATE
Locatic	Store No.:	è O	4	<b>-</b>	-	_	က	-	4	-	-	က	~	7	2	-	2	-	APPR

Locati	Location: SPRINGFIELD				IL S&E Proj. No.: 04.0569	AFE No.: F03175 D	Drawing No.: SFDH41393	-DH4139	9			
Store No.:	No.:				P.O.Number:	Date Required: D	Date Shipped:		Vendor: 8	SW Sign	aì Engineerii	Vendor: SW Signal Engineering Company
Ž	Class-Item-CD	5	Price per Item	Total Price	Total Price Item Description		Quantity Shipped	Ö Ä	Quantity Installed ite Date Da an. Quan. Qu	lled Date Quan.	Quantity Returned (Credit)	Special Instructions
5	<u> </u>	A	\$37.68	\$75.36	\$75.36 SHUNT COVER W/LAG SCREWS, 19"X19", SERRMI #40271, ORDER 1 PER SHUNT	19"X19", SERRMI #40271,	-					
2	670-652773-4	ā	\$470.56	\$941.12	SHUNT, MULTI-FR	EQ. #62775-1543 SAFETRAN NARROW BAND	QN					
2	670-393331-4	ËA	\$37.43	\$74.86	\$74.86 SIGN CROSSING MALFUNCTION A MAST, SAFETRAN #T17215	MALFUNCTION ASSEMBLY FOR 4" AND 5" 1#T17215						
N	670-806648-4	Ā	\$56.42	\$112.84	SIGN, X-BUCK, CR 02-490546	LESS HARDWARE, SAFETRAN 035200-X						
7	670-751511-4	ΕA	\$35.58	\$71.16	\$71.16 SIGN, "1" TRACK, LESS HARDWAR	LESS HARDWARE SAFETRAN# 035207-1X						
2	670-006438-4	EA	\$11.09	\$22.18	\$22.18 TAPE, 4" X 96" REFLECTIVE APPLY TO BACK OF X-BUCK SIGN. ONLY IN IA., IL., AL. 035200-555X	Y TO BACK OF X-BUCK SII	ON.					
ო	670-330382-4	ద	\$11.50	\$34.50	\$34.50 TAPE, THOR 3" DURATEC, ORANG STOP DIGGING"	URATEC, ORANGE 1000' LENGTHS. "WARNING	NING					:
12	670-478560-4	EA	\$19.47	\$233.64	\$233.64 TERMINAL BLOCK, ERICO 4 POST P/N B2700A2C1WH W/HARDWARE LESS LIGHTNING ARRESTOR	P/N B2700A2C1WH ARRESTOR						
ო	610-065626-4	EA	\$17.55	\$52.65	\$52.65 ULTRA-TECH 15206-01 CONNECTIVITY BLOCK FOR GRS B1 RELAY	IVITY BLOCK FOR GRS B1						
12	670-007238-4	EA	\$129.46	\$1,553.52	\$1,553.52 UNIT, THE INSTALLATION AND WIRING OF A DEV REQUIRE A MINIMUM OF FOUR WIRE CONNECT-	LLATION AND WIRING OF A DEVICE WHICH AUM OF FOUR WIRE CONNECT-	T					
	670-258957-4	EA	\$25,580.50		\$25,580.50 WIRED BACK, 6X6 FARADAY, 20AMP SINGLE TRK SSCCIIIA, GCP3000D2, 2 CRAGG CHARGER, 2 RELAY RACKS, SAFTRAN P/N 20A 1TRK, USE WITH I/S 670-281280-4 W/CABLE CHUTES BEHIND THE FARADAY SHIELD	MP SINGLE TRK SSCCIIIA , 2 RELAY RACKS, SAFTR, 281280-4 W/CABLE CHUTE	AN ES					
-	450-986008-4	EA	\$24.84	\$24.84	\$24.84 WRENCH, TEST POST TYPE B DWG 55393-3, GR.1	VG 55393-3, GR.1						
APP	APPROVED BY STATE	ш		APPROVED	APPROVED BY RAILROAD	CAR NUMBER			SEAL NUMBER	JMBER		